

# 2009 Catalog



**Superior Tool**<sup>®</sup>  
Tools The Professionals Use™



## Professional Plumbing Tools

Tubing Tools

Pipe Working Tools

Tools for Plastic Pipe

## Heavy Duty Straight Cast-Iron Handled Pipe Wrenches



This heavy duty cast-iron pipe wrench is durable, easy to adjust and use, and very safe in the toughest situations. New, stronger ductile iron material and PowerFlange™ design add additional strength at critical stress areas of the handle making these wrenches the strongest in the industry. Many parts are interchangeable with other manufacturers' pipe wrenches. Durable epoxy powder-coated finish.

Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
02808	8" Heavy Duty	1	30	0.95	0.43
02810	10" Heavy Duty	1-½	48	1.9	0.86
02814	14" Heavy Duty	2	60	3.9	1.77
02818	18" Heavy Duty	2-½	75	5.5	2.49
02824	24" Heavy Duty	3	90	9.26	4.2
02836	36" Heavy Duty	5	140	20.36	9.24
02848	48" Heavy Duty	6	165	36.1	16.37

## Offset 45° Cast-Iron Handled Pipe Wrenches



Specially designed cast-iron pipe wrench to work in close areas and situations where the pipe is directly close to the wall. Durable epoxy powder-coated finish.

Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
02710	10" End - Heavy Duty	1-½	48	1.77	0.8
02014	14" End - Heavy Duty	2	60	3.4	1.54
02718	18" End - Heavy Duty	2-½	75	5.38	2.44

## SuperWrench™ - Quick Gripping Pipe Wrenches



Designed for speed and convenience—to make the job faster and easier! Its spring-loaded jaw and enhanced lock design allows convenient one-handed operation and quick, sure gripping ratchet-like action on multiple sizes without adjustment. Durable epoxy powder-coated finish.

Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
02610	10" SuperWrench™	¾- 1½	48	2.09	0.95
02614	14" SuperWrench™	½ - 2	60	3.67	1.66

## Strap Wrench



For use when turning on materials where there is risk of damage to the surface, especially on polished piping, chrome tubing. Soft nylon strap and durable epoxy powder-coated finish on handle.

Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
03612	2" Strap Wrench	2	51	1.84	0.83

## Heavy-Duty Straight Aluminum Pipe Wrenches



Provides the same features as the cast-iron models, but weighs nearly 40% less. It is durable, easy to adjust and use, and very safe in the toughest situations. Durable epoxy powder-coated finish. Exceeds government specification GGG651 Type II, Class C.

Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
04814	14" Aluminum	2	60	2.36	1.07
04818	18" Aluminum	2-½	75	3.72	1.69
04824	24" Aluminum	3	90	6.1	2.77
04836	36" Aluminum	5	140	12.5	5.67

## Pipe Vise

Heavy-duty cast iron pipe vise. Yoke hook grips to form tight lock. Base has built-in pipe support. Three-piece hardened jaws with floating top jaw. Extra-large alloy steel jaws are hardened for long-lasting dependable service and a firm grip on pipe. Shock-proof, malleable iron frame guaranteed not to break or warp. Durable epoxy powder-coated finish.





Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
02816	2" Bench Yoke Vise	1/8 - 2	3 - 52	9.7	4.4
85816	Replacement Upper Jaw	n/a	n/a	1.34	0.61
85817	Replacement Lower Jaws	n/a	n/a	0.93	0.42


## Pipe Cutters - Steel & Iron



See the Replacement Parts Section for wheels, pins and screws.

Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
02802	<b>2" Heavy Duty Pipe Cutter</b> Cast iron pipe cutter with wide rollers that allow smooth cutting of steel and iron Schedule 40 pipe. Extra long "T" handle for excellent leverage. Pipe capacity from ½" to 2" schedule 40 pipe. Durable epoxy powder-coated finish. Alloy steel, heat-treated cutter wheel for long cutting life. Replacement cutter wheel #42215 (Iron & Steel Pipe) Cutter Wheel Retention Pin #43343	½ - 2	3 - 52	5.62	2.55
36878	<b>ST-2000™ Pipe Cutter</b> Cuts up to 1" schedule 40 pipe and 2" copper tubing. Capacity: 5/8" to 2-1/8" O.D. tubing, conduit and steel fencing; 3/8" to 1" steel or iron pipe, including galvanized. It's made of strong, lightweight aluminum construction and a comfort non-slip, polymer grip. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. A favorite for versatility: this tool ships with the cutter wheel for copper, iron and steel (#42348), but by replacing the wheel, it can also cut aluminum and copper (wheel #42329); or PVC, CPVC and ABS (wheel #42349). See model #36879 in "Tools for Plastic Pipe" which ships with the wheel for plastic. Replacement cutter wheel #42348 (Cu, Iron, Steel), #42329 (Cu, Al) and wheel #42349 (PVC, CPVC, ABS) Cutter Wheel Screw #43232	5/8 - 2-1/8 (3/8 - 1 pipe)	16 - 54	1.41	0.64

<b>NPT Pipe Die Heads</b>		Weight	
Item #	Description		
For use with Superior Tools' Enclosed-Type Ratchet Pipe Threader. Smaller die heads may require adapter #02960			
			
02104	<b>1/4" Die Head</b> For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924	1.40	0.64
02738	<b>3/8" Die Head</b> For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924	1.40	0.64
02712	<b>1/2" Die Head</b> For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924	1.49	0.64
02734	<b>3/4" Die Head</b> For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924	1.33	0.60
02701	<b>1" Die Head</b> For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924	2.02	0.92
02714	<b>1 1/4" Die Head</b> For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924	2.16	0.99
02114	<b>1 1/4" Die Head - Large</b> For use with kit #02920. For use with ratchet handle #02924	3.16	1.43
02112	<b>1 1/2" Die Head</b> For use with kit #02920. For use with ratchet handle #02924	3.79	1.72
02102	<b>2" Die Head</b> For use with kit #02920. For use with ratchet handle #02924	4.70	2.13

<b>Pipe Threader Ratchets</b>		Weight	
Item #	Description		
(Dies are sold separately)			
			
02934	<b>1/4" - 1 1/4" Enclosed-type Ratchet Handle</b> The enclosed-type ratchet head is a light-weight durable aluminum. Includes an extended handle for additional leverage. The inner diameter of the ratchet is 2.085" (flat to flat). This model takes die head sizes: 1/4", 3/8", 1/2", 3/4", 1" and (model# 02714) 1 1/4".		
	<b>02934</b>	3.7	1.68
			
02924	<b>1 1/4" - 2" Enclosed-type Ratchet Handle</b> The enclosed-type ratchet head is a light-weight durable aluminum. Includes an extended handle for additional leverage. The inner diameter of the ratchet is 2.8" (flat to flat). Works with die head sizes: (model# 02114) 1 1/4", 1 1/2" and 2". With the adapter (#02960), it will hold all smaller size die heads (1/4", 3/8", 1/2", 3/4", 1" and (model# 02714) 1 1/4").		
	<b>02924</b>	6.06	2.75

<b>Pipe Threader Ratchets</b>		Weight	
Item #	Description		
(Dies are sold separately)			
			
02960	<b>Ratchet Head Adapter</b> Adapter fits into the large ratchet head (inner diameter of 2.8" - flat to flat) and allows using small pilot dies in the head. For use with model #02924 ratchet handle and kit #02920.		
	<b>02960</b>	0.12	0.05

<b>Pipe Threader Kits</b>		Weight	
Item #	Description		
			
02915	<b>1/2" - 1" Pipe Threader Kit</b> These hand ratchet pipe threaders allow the lightest thread torque required for starting and cutting available. The enclosed-type ratchet is lightweight durable aluminum. The inner diameter of ratchet is 2.085" (flat to flat). Durable nylon case. 3 dies included: 1/2" - 3/4" - 1".		
	<b>02915</b>	3 Dies	12.6 5.71
			
02910	<b>1/2" - 1 1/4" Pipe Threader Kit</b> These hand ratchet pipe threaders allow the lightest thread torque required for starting and cutting available. The enclosed-type ratchet is lightweight durable aluminum. The inner diameter of ratchet is 2.085" (flat to flat). Durable nylon case. 4 dies included: 1/2" - 3/4" - 1" - 1 1/4".		
	<b>02910</b>	4 Dies	11.6 5.26
			
02920	<b>1/2" - 2" Pipe Threader Kit</b> These hand ratchet pipe threaders allow the lightest thread torque required for starting and cutting available. The enclosed-type ratchet is lightweight durable aluminum. The inner diameter of the ratchet is 2.8" (flat to flat). Comes with a 3-piece handle. Includes an adaptor to accommodate smaller die heads. Durable nylon case. 6 dies included: 1/2" - 3/4" - 1" - 1 1/4" - 1 1/2" - 2".		
	<b>02920</b>	6 Dies	28.35 12.86

<b>Tubing Cutters</b>		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg
					
35025	<b>5/8" O.D. Mini Tubing Cutter - roller-less design</b> For use in confined areas on copper, aluminum and mild steel. Large, knurled knob allows easy tightening. Zinc plated body. One-piece knob & screw. Heat-treated alloy steel cutting wheel. Replacement cutter wheel #42525				
	<b>35025</b>	1/8 - 5/8	3 - 16	0.2	0.09
					
35030	<b>5/8" O.D. Mini Tubing Cutter</b> Mini for use in confined areas on copper, aluminum and mild steel. Durable epoxy powder-coated finish for corrosion-resistance & durability. Large, knurled knob and rollers allows easy tightening. One-piece knob & screw. Heat-treated alloy steel cutting wheel. Replacement cutter wheel #42525				
	<b>35030</b>	1/8 - 5/8	3 - 16	0.21	0.09
					
35078	<b>7/8" O.D. Mini Tubing Cutter</b> Mini for cutting copper, aluminum and mild steel tubing in confined areas. Durable epoxy powder-coated finish for corrosion-resistance & durability. Large, knurled knob and rollers allows easy tightening. One-piece knob & screw. Heat-treated alloy steel cutting wheel. Replacement cutter wheel #42525.				
	<b>35078</b>	1/8 - 7/8	3 - 22	0.29	0.13



## Tubing Cutters

See the Replacement Parts Section for wheels and pins and screws.





Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
 36000	<b>1" O.D. Heavy-Duty Mini Tubing Cutter</b> Heavy-duty zinc casting with a thicker design than others minis of the same capacity. For cutting copper, aluminum and mild steel tubing in confined areas. Large, one-piece knurled knob and rollers means no losing pieces. Heat-treated rollers and pins allow for easy tightening on pipe. Heat-treated alloy steel cutting wheel. Durable epoxy powder-coated finish for corrosion-resistance & durability. Replacement cutter wheels #42135.				
	<b>36000</b>	3/16 - 1	5 - 25	0.33	0.15
 35180	<b>1-1/8" O.D. Large Diameter Mini Tubing Cutter</b> Mini for cutting copper, aluminum and mild steel tubing in confined areas. Durable epoxy powder-coated finish for corrosion-resistance & durability. Large, knurled knob and rollers allow easy tightening. One-piece knob & screw means no losing pieces. Heat-treated alloy steel cutting wheel. Replacement cutter wheels: #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS)				
	<b>35180</b>	1/8 - 1-1/8	3 - 30	0.4	0.18
 35275	<b>1-1/8" O.D. Economy Screw-Feed Tubing Cutter</b> For medium diameter tubing with fine-pitch thread for increased torque. Cuts & deburrs copper, aluminum & mild steel. Zinc-plated finish on body. Heat-treated alloy steel cutting wheel. Replacement cutter wheels #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS)				
	<b>35275</b>	1/8 - 1-1/8	3 - 30	0.68	0.31
 35278	<b>UltraCut™ Cordless Tubing Cutter</b> Cuts copper tubing in 3-5 seconds. Works well in tight quarters. Over 100 cuts per battery charge. Easily adjusts to cut 1/2" or 3/4" tubing. Faster cuts & long run time. Replacement cutter wheel #42835 Replacement battery #45250				
	<b>35278</b>	1/2 - 3/4	15 - 22	3.06	1.39
 35236	<b>1-1/8" O.D. Screw-Feed Tubing Cutter (#350)</b> Traditional style heavy duty mid-range cutter. Cuts & deburrs copper, aluminum & mild steel. For commercial and industrial applications. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. Replacement cutter wheels #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS)				
	<b>35236</b>	1/8 - 1-1/8	3 - 30	0.85	0.39
 35247	<b>1-3/16" O.D. Screw-Feed Tubing Cutter (ST-1000™)</b> Same cutting range as the model 35236, but lighter weight design. Cuts and deburrs copper, aluminum and mild steel on medium diameter tubing. For commercial and industrial applications. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. Replacement cutter wheel #42835				
	<b>35247</b>	1/8 - 1-3/16	3 - 30	0.68	0.30
 35219	<b>1 1/4" O.D. Enclosed-Feed Tubing Cutter (ST-1200™)</b> Superior's finest quality mid-sized tubing cutter. Enclosed feed mechanism to protect threads against dirt and damage to the screw. Quick to operate in the field – spin open, spin closed. For commercial & industrial use. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. Replacement cutter wheels #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS).				
	<b>35219</b>	1/8 - 1 1/4	3 - 32	0.77	0.35

## Tubing Cutters





See the Replacement Parts Section for wheels and pins and screws.

Item #	Description	Pipe Capacity		Weight	
		inch	mm	lbs	kg
 35238	<b>1-5/8" O.D. Large Diameter Tubing Cutter (ST-1500™)</b> Cuts and deburrs copper, aluminum and mild steel on larger diameters. For commercial and industrial applications. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. Replacement cutter wheels #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS).				
	<b>35238</b>	1/4 - 1-5/8	8 - 42	1.03	0.47
 36878	<b>Tubing/Pipe Cutter (ST-2000™)</b> Cuts up to 1" schedule 40 pipe and 2" copper tubing. Capacity: 5/8" to 2-1/8" O.D. tubing, conduit and steel fencing; 3/8" to 1" steel or iron pipe, including galvanized. It's made of strong, lightweight aluminum construction and a comfort non-slip, polymer grip. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. A favorite for versatility: this tool ships with the cutter wheel for copper, iron and steel (#42348), but by replacing the wheel, it can also cut aluminum and copper (wheel #42329); or PVC, CPVC and ABS (wheel #42349). See model #36879 in "Tools for Plastic Pipe" which ships with the wheel for plastic. Replacement cutter wheel #42348 (Cu, Iron, Steel), #42329 (Cu, Al) and wheel #42349 (PVC, CPVC, ABS) Cutter Wheel Screw #43232				
	<b>36878</b>	5/8 - 2-1/8 (3/8 - 1" pipe)	16 - 54	1.41	0.64





## Tubing Benders

Item #	Description	Capacity (inches)	Weight		
			lbs	kg	
 61600	<b>Spring Tube Bender 4-pc. Set</b> (sizes: 1/4", 3/8", 1/2" and 5/8") Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.				
	<b>61600</b>	1/4 5/8	1.23	0.56	
 61605	<b>Spring Tube Bender 5-pc. Set</b> (sizes: 1/4", 3/8", 1/2", 5/8" and 3/4") Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.				
	<b>61605</b>	1/4 3/4	1.53	0.69	
 61614	<b>1/4" Spring Tube Bender</b> Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.				
	<b>61614</b>	1/4	0.12	0.05	
 61638	<b>3/8" Spring Tube Bender</b> Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.				
	<b>61638</b>	3/8	0.21	0.09	


## Tubing Benders

Item #	Description	Capacity (inches)	Weight		
			lbs	kg	
 61612	<b>½" Spring Tube Bender</b> Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.				
	<b>61612</b>	½	0.38	0.17	
 61658	<b>5/8" Spring Tube Bender</b> Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.				
	<b>61658</b>	5/8	0.45	0.21	
 61634	<b>¾" Spring Tube Bender</b> Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.				
	<b>61634</b>	¾	0.52	0.24	
 66575	<b>3-in-1 Lever Tube Bender (¼" -5/16" -3/8")</b> The 3-in-1 Lever Bender is ideal for air conditioning and refrigeration tubing use. Marked at 0°, 45° and 90° for precise angle bends. Die-cast aluminum with durable epoxy powder-coated finish for corrosion-resistance & durability.				
	<b>66575</b>	¼	3/8	1.07	0.49

## Flaring Tools

Item #	Description	Capacity (inch)		Weight	
		min	max	lbs	kg
 17515	<b>Professional Flaring Tool</b> Flares all standard sizes of soft copper, brass, aluminum and soft steel tubing from 3/16" to 5/8" O.D. Self-centering yoke makes 45° flare joints without splitting or cracking. Long handle for added leverage. Large wing nuts permit easy, positive locking on the tubing.				
	<b>17515</b>	3/16	5/8	2.35	1.07
 17520	<b>Deluxe Quick-Open Flaring Tool</b> Flares all standard sizes of soft copper, brass, aluminum and soft steel tubing from 3/16" to 5/8" O.D. Self-centering yoke makes 45° flare joints without splitting or cracking. Long handle for added leverage. Large wing nuts permit easy, positive locking on the tubing. Slotted end swings open for quick removal of tubing.				
	<b>17520</b>	3/16	5/8	2.35	1.07
 17527	<b>Double Flare Adaptors</b> Set of 5 adaptors to place between the flaring tool anvil and the tubing end to double flare and strengthen the end of copper, aluminum and soft steel.				
	<b>17527</b>	3/16	5/8	0.10	0.05
 17565	<b>Papco-Style Industrial Flaring Tool</b> Produces single-lap 45° flares on copper, brass, aluminum and thin wall steel tubing. Hex clamp blocks rotate independently for effortless dialing of six tube sizes: 3/16", ¼", 5/16", 3/8", ½" and 5/8" tubing.				
	<b>17565</b>	3/16	5/8	2.36	1.07

## Flaring Tools

Item #	Description	Capacity (inch)		Weight	
		min	max	lbs	kg
 17660	<b>6-in-1 Swaging Tool</b> Join similar size copper tubing without couplings: just insert tool into copper, brass or aluminum tubing and strike with hammer. Only one solder joint required. Cost-effective—saves material. Heat treated alloy steel.				
	<b>17660</b>	3/16	5/8	0.37	0.17

## Internal Pipe Wrenches (Nipple Extractors)

Eliminates damage to threads, walls, & external nickel or chrome finish. Exclusive "Cam Action" provides non-slip grip on the inside of nipples, pipes & fittings and can be turned either way. Heat treated alloy steel.



Item #	Description	Pipe Capacity		Weight	
		in	mm	lbs	kg
05238	3/8" Internal Pipe Wrench	3/8	9.53	0.25	0.11
05212	½" Internal Pipe Wrench	½	12.70	0.35	0.16
05234	¾" Internal Pipe Wrench	¾	19.05	0.5	0.23
05201	1" Internal Pipe Wrench	1	25.40	0.84	0.38
05239	Internal Pipe Wrench Set 3/8", ½", ¾" and 1" in pouch	3/8-1	9.53 - 25.40	1.75	0.34

## Socket Wrenches

Removes and installs nuts on tub and shower faucet stems to allow washer replacement. Nickel-plated.



Item #	Description	Weight	
		lbs	kg
03700	Water Heater Electric Element Wrench	0.6	0.28
03751	21/32 x 27/32" Wrench	0.3	0.13
03752	29/32 x 31/32" Wrench	0.42	0.19
03753	1-1/32 x 1-3/32" Wrench	0.48	0.22
03754	1-5/31 X 1-9/32" Wrench	0.47	0.21
03757	27/32 X 31/32" Wrench	0.45	0.2
03750	<b>Economy 6-pc. Set</b> Includes wrench sizes: 21/32 x 27/32", 29/32 x 31/32", 1-1/32 x 1-3/32", 1-5/32 x 1-9/32", 1-11/32 x 1-7/16" and a bar handle wire for easy storage.	2.1	0.95
03755	<b>Premium 6-pc. Set</b> Wrenches are made of heavier material and are 25% longer for access to recessed valve stems in tile-covered walls. No more rounding off the edges. Includes sizes: 21/32 x 27/32", 29/32 x 31/32", 1-1/32 x 1-3/32", 1-5/32 x 1-9/32", 1-11/32 x 1-7/16", a turner bar and a handle wire for easy storage.	2.3	1.04






## Tools for Plastic Pipe

See the Replacement Parts Section for blades, wheels, screws and pins.




Item #	Description	Tubing/Pipe Capacity		Weight	
		inch	mm	lbs	kg
 07100	<b>PEX Pocket Crimper</b> One handy tool crimps all 3 common sizes and fits in your tool box. Meets ASTM F1807 Spec for crimping PEX. Includes tool, pouch & gauge and instructions for use.	3/8, 1/2 & 3/4	9.5, 12.7 & 19	1.4	0.63
 18800	<b>Inner/Outer Reamer</b> For rapid and efficient reaming on both the inside and outside edges of tubing and Schedule 40 plastic pipe. 3/16" to 1 1/2" O.D. capacity.	3/16 - 1 1/2	5 - 42	0.58	0.27
 36879	<b>ST-2000™ Plastic Tubing/Pipe Cutter</b> The ST-2000™ cuts Schedule 40 plastic pipe to 1" size. It's made of strong, lightweight aluminum construction and a comfort non-slip, polymer grip. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. A customer favorite for versatility: this tool ships with the cutter wheel for PVC, CPVC and ABS (#42349), but by replacing the cutter wheel, this tool can also cut aluminum and copper (wheel #42329); or copper, iron and steel (wheel #42349). See also model #36878 in "Pipe Cutters - Steel & Iron." Replacement cutter wheel #42349 (PVC, CPVC, ABS) Replacement cutter wheels #42329 (Cu, Al) Replacement cutter wheel #42348 (Cu, Iron, Steel) Cutter Wheel Screw #43232	5/8 - 2-1/8	16 - 54	1.41	0.64
 37100	<b>Ratchet Action PVC Cutter</b> Designed for quick, clean cuts through hose, plastic tubing & PVC schedule 40 pipe up to 1". Very sharp hardened stainless steel blade, internal parts and pivots made of all stainless steel. Handle is lightweight ergonomically-designed reinforced nylon. Unlike others, the blade can be sharpened or replaced. Great for working where there is water--it is completely rustproof. Replacement blade: #42770	1-5/16	33	0.87	0.39
 37105	<b>PEX Scissor Cutters</b> Cuts polyethylene, polybutene and PVC pipe, PEX, rubber hose & other non-metallic materials up to 1 1/4" OD. Makes a fast, clean cut with no burrs. Lightweight. Replacement blade # 42775	1 1/4	31.75	0.51	0.23
 37106	<b>PEX Scissor Cutters</b> Cuts polyethylene, polybutene and PVC pipe, PEX, rubber hose & other non-metallic materials up to 2" OD. Makes a fast, clean cut with no burrs. Lightweight. Replacement blade # 42776	2	50	0.41	0.19
 37110	<b>Economy Ratcheting PVC Cutter</b> Economy cutter designed for quick, clean cuts through hose, plastic tubing & PVC schedule 40 pipe up to 1". Capacity to 1-5/16". Die cast handles. Stainless steel blade.	1-5/16	33	0.81	0.37

## Tools for Plastic Pipe

See the Replacement Parts Section for blades, wheels, screws and pins.

Item #	Description	Tubing/Pipe Capacity		Weight	
		inch	mm	lbs	kg
 37115	<b>PVC Pipe Cutter</b> Extra-large capacity cuts up to 2" Schedule 40 PVC and polyethylene pipe (up to 2 1/2" O.D.). Heavy-duty cutter's ratchet mechanism maximizes cutting. The wide hooked jaw holds pipe securely for safer, cleaner cuts and is easier & faster than a hacksaw. Replacement blade available.	2 1/2	63.5	2.9	1.32
 37513	<b>13" Plumber's PVC Saw</b> Cuts PVC, CPVC, ABS, wood, dry wall and more. Lightweight aluminum die-cast handle with ergonomic cushioned grip. Flame hardened blade is marked with outside diameter sizes of Schedule 40 PVC pipe. Blade replaces easily & changes in seconds. Replacement blade: #37613	13	330	0.8	0.37
 37400	<b>Flush-Cutting Adapter</b> Specially designed adaptor to allow the saw to cut flush to the floor or any similar applications. Molded of high-strength polycarbonate for durability. Fits the 13" saw #37513.	n/a	n/a	0.13	0.06
 37700	<b>Mini Hacksaw</b> For cutting wood, plaster, steel, brass, etc. in tight quarters. Cushioned handle. Highest quality heat-treated, high carbon, 6" long steel blade, 32 teeth per inch. Replacement blade: #37701	n/a	n/a	0.3	0.14
 37730	<b>PVC Cable Saw</b> For fast cutting of PVC plumbing, drain and irrigation pipe. Great for tight spots. Needs only 1/4" clearance. Works faster and easier than a hacksaw. Stainless steel cable will not rust.	24	610	0.07	0.03


## Water Shut-Off Wrenches

Item #	Description	Length		Weight	
		in	mm	lbs	kg
 02725	<b>Emergency Gas Shut-Off Wrench</b> Emergencies occur with little or no warning! Be prepared to turn off your gas at the source. For gas shut off only. Length is 12".	12	305	0.98	0.44
 02750	<b>Emergency Gas/Water Shut-Off Wrench</b> Emergencies occur with little or no warning! Be prepared to turn off your gas and water at the source. For both gas and water shut off. Length is 12" and 15".	15	381	2.19	0.99
 03990	<b>Water Supply ShutOff™ Wrench</b> Easy and safe way to turn off toilet and sink supply water valves. No more broken valves. Will not damage finish. A full 12" long to easily reach under sinks and behind toilets.	11	280	0.33	0.15

## Faucet Handle and Sleeve Pullers & Accessories

Item #	Description	Weight	
		lbs	kg
 03870	<b>Faucet Handle Puller</b> Removes large and small faucet handles with new and longer adjustable puller arms. New one-piece cast cross bar for increased strength and durability. Puller features notches that ensure positive and equal positioning of puller arms on cross bar. Instructions on package.	0.78	
	<b>03870</b>	0.78	
 03875	<b>Plumber's Puller Kit</b> For pulling faucets and compression sleeves. Compression sleeve puller (ferrule remover) is included in kit for quick and easy removal of standard copper compression sleeves and nuts. Instructions on package.	0.78	
	<b>03875</b>	0.78	
 03910	<b>Moen Stem Cartridge Wrench</b> Removes Moen brand stems and cartridges, both plastic and brass. Works on faucets and shower valves. Precision made from high quality steel components in one-piece construction. Easy to use with complete instructions on package.	0.64	0.29
	<b>03910</b>	0.64	0.29
 03920	<b>Nut Cracker</b> A tool for the professional. Quickly removes corroded 1/2" die-cast locknuts from faucet shanks. For use with 1/2" basin faucets, single basin faucets, shank center sets and shank kitchen faucets. Heat-treated cutter blades with a black oxide finish. Complete instructions included in package. Lifetime Guarantee. Patent No. 4365413	1.40	
	<b>03920</b>	1.40	
 03943	<b>Bleckman™ Compression Sleeve Puller</b> Quick and easy way to remove leaking compression sleeves without damaging walls. Unique armless design screws directly into compression nut for fast removal of compression sleeve or ferrule. For 1/2" (5/8" actual O.D.) compression fittings only. Patented.	0.54	
	<b>03943</b>	0.54	
 03945	<b>Compression Sleeve Puller (Ferrule Removal Adapter)</b> Designed to be used with any standard faucet handle puller.	0.01	
	<b>03945</b>	0.01	




## Faucet Reseaters

Item #	Description	Weight	
		lbs	kg
 03790	<b>Drip Stopper</b> Kit has 2 hardened steel cutters for various size faucets and 4 faucet washers. Instructions on package.	0.17	0.08
	<b>03790</b>	0.17	0.08




## Faucet Reseaters

Item #	Description	Weight	
		lbs	kg
 03795	<b>Professional Faucet Reseater Kit</b> Kit has 4 hardened steel cutters for various size faucets, guide cone, 4 faucet washers, solid brass screw and long shaft for tubs and showers. Instructions on package.	0.28	
	<b>03795</b>	0.28	








## Basin Wrenches

Item #	Description	Size		Pipe Capacity		Weight	
		in	mm	in	mm	lbs	kg
 03811	<b>11" Basin Wrench</b> The spring-loaded jaws and infinitely adjustable head angle design accommodates up to 1" hex and square nuts in tight places.	11	280	1 1/4	32	1.30	
	<b>03811</b>	11	280	1 1/4	32	1.30	
 03812	<b>Basin Wrench - Telescopic</b> The spring-loaded jaws and infinitely adjustable head angle design accommodates up to 1" hex and square nuts in tight places. This telescoping shank model will extend to 17".	11-17	280-430	1 1/4	32	1.95	
	<b>03812</b>	11-17	280-430	1 1/4	32	1.95	
 03820	<b>Ratchet Jaw, Basin Wrench Attachment</b> Attachment fits standard 3/8" ratchet drive. Jaw fits 1/2" -1-1/4" hex and square nuts.	n/a	n/a	1	25	0.31	
	<b>03820</b>	n/a	n/a	1	25	0.31	

## Sink, Drain & Tub Wrenches



Item #	Description	Weight	
		lbs	kg
 03840	<b>Adjustable Combination Wrench</b> Fits spud nuts, slip and lock nuts and basket strainer nuts for various under sink and toilet work. Adjusts from 1" to 3". Zinc-plated with cushion grip handle.	0.70	
	<b>03840</b>	0.70	
 03845	<b>SinkDrain™ Wrench</b> An innovative, universal design for installation and repair of kitchen and bathroom P-trap, DWV nuts, kitchen sink basket strainer nuts and plastic DWV nuts with wing tabs. Also removes /installs large basket strainer nuts. Patented design.	0.58	
	<b>03845</b>	0.58	
 03890	<b>Basket Strainer Wrench</b> Securely holds basket strainer body in position. Prevents turning during installation. Allows for one-person installation of sink basket strainers. Universal design.	0.52	
	<b>03890</b>	0.52	

## Sink, Drain & Tub Wrenches

Item #	Description	Weight	
		lbs	kg
 03914	<b>1/4" TightSpot™ Wrench</b> Permits trap and drain line installations or removals with pedestal sink in place. Install or repair pedestal sink drains without removing sink. Fits all 6-, 8- and 12-sided drain nuts, & permits trap and drain line installation/removal with pedestal sink in place. Also works great on regular drain fittings. Patent pending.		
	03914	0.42	
 03915	<b>1/2" TightSpot™ Wrench</b> Permits trap and drain line installations or removals with pedestal sink in place. Install or repair pedestal sink drains without removing sink. Fits all 6-, 8- and 12-sided drain nuts, & permits trap and drain line installation/removal with pedestal sink in place. Also works great on regular drain fittings. Patent pending.		
	03915	0.43	
 03930	<b>P.O. Plug Wrench</b> Install or remove vanity sink pop-up plugs and tub drains. Prevents rotation during installation and removal.		
	03930	0.53	
 03850	<b>Tapered Faucet Seat Wrench</b> Removes replaceable faucet seats. 6" x 6" heat treated steel. Universal fit.		
	03850	0.50	
 03860	<b>6-Step Faucet Seat Wrench</b> Removes replaceable faucet seats. 6" x 6" heat treated steel. Universal fit.		
	03860	0.50	
 04500	<b>DrainKey™</b> Expanding design allows The Drain Key to internally grip in a 360° pattern. Expands with a crescent wrench to unlock or install: Bathtub Drains, 1-1/4" or 1-1/2" closet spuds, duplex strainers, jr. duo strainers, jr. basket strainers and tray plug drains. Instructions on package. A professional tool that expands inside the drain with 3 knurled steel 'shoes,' then turns the drain out using the large nut.		
	04500	1.20	
 06020	<b>Tub Drain Wrench (Dumbbell Wrench)</b> Innovative, patented design to install and remove tub drains without scratching fine finishes. The only tool of its kind that can be turned with a 3/8" or 1/2" ratchet wrench and extension from either end. Will also remove or install 1/2" square plastic toilet seat nuts. New, stronger design tested to 100 ft. lbs. of torque.		
	06020	0.70	







**Call Customer Service for more information**  
**800-533-3244 • 216-398-8600**

## Pliers

Item #	Description	Capacity (inch)	Weight	
			lbs	kg
 06010	<b>Smooth-Jaw Pipe Wrench Pliers</b> Smooth jaws protect chrome, brass and decorative fittings. Special smooth jaw design for work on brass or plated finishes without scratching. Pliers open to 2-1/8". High strength nickel/chrome steel with cushioned grips.			
	06010	2-1/8	0.15	
 06012	<b>Soft Jaw Plumbing Pliers</b> "Soft Jaws" won't mar or scratch polished/plated surfaces. Vinyl grips for comfort and ease. For plastic and metal basin and sink locknuts, trap nuts and toilet spuds 1 1/4", 1 1/2" and 2".			
	06012	1 1/4, 1 1/2 and 2	0.91	0.41






## Specialty Plumbing Tools and Accessories

See the Replacement Parts Section for replacements.

Item #	Description	Capacity		Weight	
		in	mm	lbs	kg
 03705	<b>'No Hub' Torque Wrench</b> Obtain the proper, leak-free seal on couplings with this T-handled wrench pre-set to 60 in.-lbs. torque. The ratchet-action tightening stops when the required torque is reached and then just clicks. Use the built-in reverse lever to loosen screws and remove couplings. One-handed tightening in the right-hand direction. All mechanisms are sealed in the die-cast handle and lubricated for the life of the tool. Pre-set 60 in.-pounds torque • 5/16" hex drive				
	03705	60 in.-lbs. torque	69.13 kg-cm torque	0.84	0.38
 03819	<b>Manual DrainStick™</b> Quickly and easily removes hair and "goop" between drain and end of trap. Corrosion resistant nylon construction is tough and rinses easily. Angled head negotiates turns. Use over and over. No dangerous chemicals.				
	03819	24	600	0.05	0.01
 03932	<b>Drum Trap Wrench</b> Removes/installs threaded plugs in cleanouts.				
	03932	n/a	n/a	2.70	1.22
 03960	<b>4-Way Key</b> Fits stopcocks, sillcocks and valves. Heat-treated steel. Sizes 1/4" - 9/32" and 5/16" - 11/32" internal square.				
	03960	1/4 - 11/32	n/a	0.15	
 03997	<b>Faucet Mitts™</b> Snap over hard-to-turn valves for a better grip. Allows increased turning force to be applied. For use with indoor/outdoor faucet handles. Fits most 1/2" and 3/4" gate, stop, waste and boiler drain valves and sillcocks. Ideal for cold weather. Color-coded for ease of use (red=hot, blue=cold).				
	03997	n/a	n/a	0.11	
 05250	<b>5 pc. Bolt Extractor Kit</b> Extract broken bolts quickly and easily. Five sizes: 1/8", 1/4", 3/8", 1/2" and 3/4". Required drill sizes are noted on the packaging.				
	05250	1/8 - 3/4	3.18 - 19.05	0.65	



## Specialty Plumbing Tools and Accessories

See the Replacement Parts Section for replacements.

Item #	Description	Capacity		Weight	
		in	mm	lbs	kg
 06021	<b>Plumber'sLevel™</b> For all common drain slopes wherever things need to slope: drain pipes, gutters, landscaping, patios, & driveways. The strong magnetic edge frees you to use both hands to work. Includes a calibrated vial. Patented Design.	1/8, 1/4, 3/8 and 1/2" slopes		0.26	
 21015	<b>SuperRing™ - Closet Ring Replacement</b> Repair water leaks around the toilet base. Unique screw-hole tabs attach securely to the wood or concrete sub-floors. Slotted for 1/4" or 5/16" closet bolts. Durable epoxy powder-coated finish for corrosion-resistance & durability.	1/4 & 5/16 bolts		0.52	
 83829	<b>Yellow Submarine Power DrainStick™</b> A safe, easy, quick and eco-friendly way to open all standard household drains. It gently clears clogged drains caused by hair, food and grease. It's simple to use—pull the trigger and the tool does the work. To use, insert the stick into the drain, thread it down, pull the trigger, and quickly the drain is clear. Comes with four "AA" alkaline batteries. Replacement drainstick # 83830 or #83831 (pack of 3)	18	457.20	1.05	0.48
 85721	<b>Emergency Plumbing Repair Kit™</b> Included in this kit are 5 simple, easy-to-use products that will help you quickly and easily repair everyday household clogs, leaks and drips: Emergency Repair Tape, DrainStick™ (#03819), Sink Drain Wrench™ (#03845), Drip Stopper™ Faucet Reseater (#03790) and the Water Supply ShutOff™ Wrench (#03990). Free storage bag holds all the tools and it comes with informative "How-to" booklet.	n/a	n/a	1.50	
 98034	<b>Meter-Loc™</b> Plastic sealing device that encloses water meter coupling nuts to reduce theft of services by guarding against tampering with water service. Meter-Loc cannot be removed without being broken—a sure sign that tampering has occurred. Fits both inlet and outlet pipes for maximum protection. Available to fit most 5/8", 3/4" or 1/2" meters with 1/2" or 3/4" tail pieces.	n/a	n/a	0.20	0.90





## Tube Working Brushes and Accessories

See the Replacement Parts Section for wheels and pins and screws.

Item #	Description	Weight	
		lbs	kg
 18012	<b>2for1™ 1/2" Fitting/Tube Brush</b> The ideal tool for preparing tubing and fittings prior to soldering. Cleans I.D. and O.D. of tubing or fittings fast and effectively. Long lasting stainless steel bristles will not contaminate solder joints. Handle protects brush when not in use. For 1/2" tubing.	0.16	
 18034	<b>2for1™ 3/4" Fitting/Tube Brush</b> The ideal tool for preparing tubing and fittings prior to soldering. Cleans I.D. and O.D. of tubing or fittings fast and effectively. Long lasting stainless steel bristles will not contaminate solder joints. Handle protects brush when not in use. For 3/4" tubing.	0.17	

## Tube Working Brushes and Accessories

See the Replacement Parts Section for wheels and pins and screws.

Item #	Description	Weight	
		lbs	kg
 18570	<b>Abrasive Cloth Mini Strips Assortment Pack</b> Two strips each of 6 different grades of waterproof and water resistant abrasive cloth. Perfect for cleaning, deoxidizing, brightening and scoring metal, plastic tubing and fittings prior to soldering or joining.	0.13	
 18612	<b>1/2" Stainless Steel Heavy Duty Fitting Brush</b> Will not rust—substantially out-performs standard fitting brushes. Double stem (4 wire) double-spiral construction. Long lasting stainless steel bristles will not contaminate solder joints. Spark-proof: made from 300 series stainless steel that meets MIL and ASTM specifications where a spark-proof brush is specified (oxygen and similar explosive gas atmospheres). The ASTM Spec has been approved for use by agencies of the US Department of Defense (MIL SPEC).	0.13	
 18634	<b>3/4" Stainless Steel Heavy Duty Fitting Brush</b> Will not rust—substantially out-performs standard fitting brushes. Double stem (4 wire) double-spiral construction. Long lasting stainless steel bristles will not contaminate solder joints. Spark-proof: made from 300 series stainless steel that meets MIL and ASTM specifications where a spark-proof brush is specified (oxygen and similar explosive gas atmospheres). The ASTM Spec has been approved for use by agencies of the US Department of Defense (MIL SPEC).	0.14	
 18850	<b>Deburring Tool</b> Quickest way to remove burrs and sharp edges after cutting and drilling operations on copper, brass, aluminum and mild steel. Swivel action of blade removes internal or external burrs easily & quickly. Comes with 2 hardened steel blades stored in the handle. Replacement cutter blade #42424	0.13	
 18912	<b>1/2" Power Tube Cleaning Brush</b> Ideal for projects requiring a number of soldered or brazed fittings. Can be used with regular key chucks, chuck adapters and keyless chucks. Power tube cleaning brush for 1/2" tubing. 1/4" hex shank.	0.08	
 18934	<b>3/4" Power Tube Cleaning Brush</b> Ideal for projects requiring a number of soldered or brazed fittings. Can be used with regular key chucks, chuck adapters and keyless chucks. Power tube cleaning brush for 3/4" tubing. 1/4" hex shank.	0.09	
 99643	<b>4-in-1 Fitting and Tube Brush</b> Designed to do the job of 4 brushes. For 1/2" and 3/4" tubing I.D. and O.D. makes cleaning tubing and fittings prior to soldering easy and effective. Ensures proper surface preparation and a good solder joint. Long lasting stainless steel bristles will not contaminate solder joints. Replacement brushes #99012 (1/2") & #99034 (3/4")	0.18	
 99645	<b>Brass and Steel Utility Brushes</b> For cleaning and polishing hard-to-get-at surfaces. Ideal for removing dirt and corrosion from threads and fittings. Long-lasting stainless steel and brass bristles will not contaminate prior to solder or welding. A handy tool for hundreds of jobs in and around the home, shopfloor, as well as for industrial use.	0.13	

**Call Customer Service for more information**  
800-533-3244 • 216-398-8600

## Replacement Parts



Wheels for Cutting Metal (Pack of 2)		Weight	
		lbs	kg
Item #	Description (Application)		
42135	Replacement Cutter Wheels (Cu, Al, Steel) <i>(For Use on Model 36000)</i>	0.84	0.36
42179	Replacement Cutter Wheels (Iron & Steel Pipe) <i>(For Use on Model 02801)</i>	0.15	0.07
42215	Replacement Cutter Wheels (Iron & Steel Pipe) <i>(For Use on Model 02802)</i>	0.15	0.07
42329	Replacement Cutter Wheels (Cu, Al) <i>(For Use on Model 36878)</i>	0.15	0.07
42348	Replacement Cutter Wheels (Cu, Iron, Steel) <i>(For Use on Models 36877 &amp; 36878)</i>	0.08	.04
42525	Replacement Cutter Wheels (Cu, Al, Steel) <i>(For Use on Models 35025, 35030 &amp; 35078)</i>	0.08	0.04
42835	Replacement Cutter Wheels (Cu, Al, Brass) <i>(For Use on Models 35180, 35219, 35236, 35238, 35247, 35275 &amp; 35278)</i>	0.08	0.04

Wheels for Cutting PVC & Plastic (Pack of 2)		Weight	
		lbs	kg
Item #	Description (Application)		
42349	Replacement Cutter Wheels (PVC, CPVC, ABS) <i>(For Use on Models 36878 &amp; 36879)</i>	0.07	0.03
42836	Replacement Cutter Wheels (PVC, CPVC, ABS) <i>(For Use on Models 35180, 35219, 35235, 35236, 35238 &amp; 35275)</i>	0.07	0.03




Cutter Wheel Retention Pins & Screws		Weight	
		lbs	kg
Item #	Description (Application)		
43343	Cutter Wheel Retention Pin <i>(For Use on Model 02802)</i>	0.07	0.03
43430	Cutter Wheel Screw <i>(For Use on Model 35219)</i>	0.07	0.03
43187	Cutter Wheel Screw <i>(For Use on Models 35025, 35030, 35078, 35180, 35236, 35238, 35247, 35275)</i>	0.07	0.03
43232	Cutter Wheel Screw <i>(For Use on Models 36878, 36879)</i>	0.07	0.03

**Call Customer Service for more information**  
**800-533-3244 • 216-398-8600**

## Replacement Parts

Item #	Description (Application)	Weight	
		lbs	kg
	<b>Replacement Blade for #37513 (13" Saw)</b> Quick and easy to replace.		
37613	<b>37613</b>	0.40	0.18
	<b>Replacement Blades for #37700 (Mini Hacksaw)</b> Pack of 10		
37701	<b>37701</b>	0.11	0.05
	<b>Replacement Blades for #18850 (Deburring Tool)</b> Pack of 2		
42424	<b>42424</b>	0.01	0.01
	<b>Replacement Blade for #37100 (PVC Cutter)</b> Stainless Steel		
42770	<b>42770</b>	0.10	0.04
	<b>Replacement Blade for #37115 (2 1/2" PVC Cutter)</b> Hardened Alloy Steel		
42771	<b>42771</b>	0.47	0.21
	<b>Replacement Blade for #37105 (PVC Scissor Cutter)</b>		
42775	<b>42775</b>	0.04	0.02
	<b>Replacement Blade for #37106 (PVC Scissor Cutter)</b>		
42776	<b>42776</b>	0.04	0.02
	<b>Replacement Battery for #35278 (UltraCut)</b>		
45250	<b>45250</b>	0.15	0.07
	<b>Replacement Power DrainStick™</b>		
83830	<b>83830</b>	0.02	0.01
	<b>Replacement Power DrainStick™ - 3-pack</b> (pack of 3)		
83831	<b>83831</b>	0.06	0.03
	<b>Pipe Vise Upper Jaw</b>		
85816	<b>85816</b>	0.08	0.04

## Replacement Parts

Item #	Description (Application)	Weight	
		lbs	kg
 85817	<b>Pipe Vise Lower Jaws</b>		
	<b>85817</b>	0.06	0.03
 99012	<b>½" Replacement Brushes for #99643 (4-in-1 Fitting and Tube Brush)</b> 2 brushes included: 1 outer and 1 inner brush		
	<b>99012</b>	0.03	0.01
 99034	<b>¾" Replacement Brushes for #99643 (4-in-1 Fitting and Tube Brush)</b> 2 brushes included: 1 outer and 1 inner brush		
	<b>99034</b>	0.03	0.01

## Pipe Wrench Parts

Item #	Description	Weight	
		lbs	kg
05308	8" Hook Jaw	0.27	0.12
05310	10" Hook Jaw	0.53	0.24
05314	14" Hook Jaw	0.98	0.44
05318	18" Hook Jaw	1.58	0.72
05324	24" Hook Jaw	2.23	1.01
05336	36" Hook Jaw	4.45	2.02
05348	48" Hook Jaw	7.56	3.43
05408	8" Heel Jaw & Pin	0.27	0.12
05410	10" Heel Jaw & Pin	0.27	0.12
05414	14" Heel Jaw & Pin	0.27	0.12
05418	18" Heel Jaw & Pin	0.27	0.12
05424	24" Heel Jaw & Pin	0.32	0.15
05436	36" Heel Jaw & Pin	0.63	0.29
05448	48" Heel Jaw & Pin	0.72	0.33
05508	8" Nut	0.27	0.12
05510	10" Nut	0.27	0.12
05514	14" Nut	0.27	0.12
05518	18" Nut	0.28	0.13
05524	24" Nut	0.32	0.15
05536	36" Nut	0.53	0.24
05548	48" Nut	0.85	0.36
05608	8" Coil & Flat Spring	0.10	0.05
05610	10" Coil & Flat Spring	0.10	0.05
05614	14" Coil & Flat Spring	0.10	0.05
05618	18" Coil & Flat Spring	0.12	0.05
05624	24" Coil & Flat Spring	0.13	0.06

## Pipe Wrench Parts

Item #	Description	Weight	
		lbs	kg
05636	36" Coil & Flat Spring	0.20	0.09
05648	48" Coil & Flat Spring	0.23	0.10

## Replacement NPT Dies for Hand Ratchet Threaders

For use with Superior Tools' Pipe Die Heads.

Item #	Description	Number of Dies	Weight	
			lbs	kg
02941	¼" NPT Dies	set of 4	0.20	0.09
02942	3/8" NPT Dies	set of 4	0.20	0.09
02943	½" NPT Dies	set of 4	0.20	0.09
02944	¾" NPT Dies	set of 4	0.20	0.09
02945	1" NPT Dies	set of 4	0.30	0.14
02946	1¼" NPT Dies	set of 4	0.30	0.14
02948	1½" NPT Dies	set of 4	0.50	0.23
02949	2" NPT Dies	set of 4	0.50	0.23

See our website for applicable models at [www.superiortool.com/partslocator](http://www.superiortool.com/partslocator)

**Call Customer Service for more information**  
**800-533-3244 • 216-398-8600**

## High Quality Products

Superior Tool pipe working and plumbing tools are engineered and manufactured from the highest quality materials to meet or exceed all industry standards. Our innovative products save time and eliminate problems, making every piping and plumbing job easier.

## Lifetime Guarantee

We guarantee our tools will last a lifetime.

## Outstanding Value

And, in addition, our tools represent a great value... fair pricing and high quality. Check us out for yourself.

## No Barriers To Buy®

We thank you for allowing us to become your trusted source for pipe working and plumbing tools. Our promise to both distributors and end-users is "No Barriers To Buy®."

## What does this mean to you?

If a product is somehow not on a distributor's shelf, we will ship it out immediately:

- No minimum order requirement
- Freight will always be pre-paid (phone orders will be charged \$3.95)

You can get as many or as few tools as you need. Everything we do is geared towards offering our customers outstanding service.

## Accurate, Timely Order Fulfillment

We employ state-of-the-art electronic communication, including EDI, to ensure accurate processing and timely delivery of your order

## Total Support and Experience

Questions about setting up special programs for all sorts of customers from distributors to union locals? Superior Tool has been manufacturing and selling plumbing tools in the U.S. for over 60 years since 1947.

You can call our toll free help line from anywhere in the U.S. or Canada, Monday - Friday, 8:00 am - 5:00 pm EST. We can also be contacted on the Internet at [www.superiortool.com](http://www.superiortool.com).

## Contact Us:

**P: 216.398.8600**

**P: 800.533.3244 (Toll Free in U.S. or Canada)**

**F: 216.398.8691**

**[sales@superiortool.com](mailto:sales@superiortool.com)**

Superior Tool Company  
100 Hayes Drive, Unit C  
Brooklyn Heights, OH 44131  
Toll Free (U.S. and Canada): 800.533.3244  
P: 216-398-8600 · F: 216-398-8691  
[www.superiortool.com](http://www.superiortool.com)